STANDARD BIDDING DOCUMENT FOR

THE SUPPLY AND DELIVERY OF NETWORK EQUIPMENT FOR NETWORK ENHANCEMENT.

TENDER ZIMRA NCB 11/2025



PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

BIDDING DOCUMENT FOR THE SUPPLY AND DELIVERY OF NETWORK EQUIPMENT FOR NETWORK ENHANCEMENT

PROCUREMENT REFRENCE NUMBER: TENDER ZIMRA NCB 11/2025

PROCURING ENTITY: ZIMBABWE REVENUE AUTHORITY

DATE OF ISSUE: 28 March 2025

CLOSING DATE: 30 April 2025

Table of Contents

Part 1: Bidding Procedures

Part 2: Statement of Requirements

Part 3: Contract

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 04/2024 RE-TENDER

PART 1 BIDDING PROCEDURES

PART 1: BIDDING PROCEDURES

References:

References to the Act are to the Public Procurement and Disposal of Public Assets Act [Chapter22:23] and references to the Regulations are to the Public Procurement and Disposal of Public Assets (General) Regulations (Statutory Instrument No. 5 of 2018). The terms and requirements in the Act and Regulations govern the submission of Bids and should be read by all Bidders.

Procurement Reference Number: TENDER ZIMRA NCB 11/2025

Preparation of Bids

You are requested to bid for the supply and delivery of forensic audit equipment as specified in the Statement of Requirements below, by completing and returning the following documentation:

- 1. the Bid Submission Sheet in this Part;
- 2. the Statement of Requirements in Part 2;
- 3. a copy of every document necessary to demonstrate eligibility in terms of section 28 (1) of the Regulations;
- 4. A copy of CR 14, CR6 and a Certificate of Incorporation or equivalent company registration documents.
- 5. Bid Security of US\$ 2,000.00

You are advised to carefully read the complete Bidding Document, as well as the General Conditions of Contract which are available on the Authority's website, before preparing your Bid. Part 3: Contract is provided not for completion at this stage but to enable Bidders to note the Contract terms they will enter into if their Bid is successful.

The standard forms in this document may be retyped

Number of bids allowed

No Bidder may submit more than one bid, either individually or as a joint venture partner in another Bid, except as a subcontractor. Where the procurement is divided into lots and packages, only one Bid can be submitted. A conflict of interest will be deemed to arise if bids are received from more than one Bidder owned, directly or indirectly, by the same person.

Clarification

Clarification of the bidding document may be requested in writing by any Bidder and should be sent to via the *Electronic Government Procurement system (e-GP)*;

Or via Email to procurement@zimra.co.zw

Such queries should be submitted within 4 days from the date of issue and responses to questions / queries will be made in writing to all prospective bidders at least 3 days before tender closing.

Pre-bid meeting

There is no compulsory pre-bid meeting for this tender.

Validity of Bids

The minimum period for which the Bidder's bid must remain valid is 90 days from the deadline for the submission of bids.

Submission of Bids

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 04/2024 RE-TENDER

PART 1 BIDDING PROCEDURES

Bids must be submitted in writing in a sealed envelope to the address below, no later than the date and time of the deadline below. It is the Bidder's responsibility to ensure that they receive a receipt confirming submission of their bid that has correct details of the Bidder and the number of the Bid.

The Bidder must mark the envelope with the Bidder's name and address and the Procurement Reference Number.

Bids should be submitted in triplicate with one (1) original copy marked "ORIGINAL" and two (2) copies each marked "COPY" All 3 copies should be in sealed envelopes clearly marked with the details of the tender, and should be deposited in a tender box situated at the below address. In the event of any discrepancy between the original and the copies, the original will prevail.

Late bids will be rejected. The Procuring Entity reserves the right to extend the bid submission deadline but will notify all potential bidders who have collected the bidding documents of the amended bid submission deadline.

Date of deadline:

30 April 2025

Deadline Time:

1000Hours

CAT

Submission Method:

Electronic Government Procurement system (e-GP).

Bid opening

Bid opening shall be done in e-GP system and the bidders shall be notified through the system immediately following the opening.

Withdrawal, amendment or modification of Bids

A Bidder may withdraw, substitute, or modify its Bid after it has been submitted by sending a written notice, duly signed by an authorized representative. However, no Bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of Bids and the expiration of the period of Bid validity specified by the Bidder or any extension of that period.

Delivery Requirements

The delivery period required (from the date of contract signing) and the final destination for delivery are as indicated in the Delivery Schedule in Part 2.

Bid Prices and Discounts

The prices and discounts quoted by the Bidder in the Bid Submission Form and in the Price Schedules must conform to the requirements specified below.

Prices must be quoted as specified in the Price Schedule included in Part 2 Statement of Requirements. In quoting prices, the Bidder is free to use transportation through carriers registered in any eligible country and similarly may obtain insurance services from any eligible country. Prices quoted must include the following costs and components:

(a) For Goods

- (i) the price of the Goods and the cost of delivery to the final destination, including the relevant INCOTERM, as stated in the Delivery Schedule;
- (ii) the custom duties to be paid on the Goods on entry in Zimbabwe, if not already included:

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 04/2024 RE-TENDER

PART 1 BIDDING PROCEDURES

- (iii) Any other applicable import taxes;
- (iv) any sales and other taxes due within Zimbabwe which will be payable on the Goods, if not already included;
- (v) any rebate or mark-up of the local agent or representative.
- (b) for Related Services, (other than inland transportation and other services required to convey the Goods to their final destination), whenever such Related Services are specified in the Schedule of Requirements:

the price of each item comprising the Related Services (inclusive of any applicable taxes).

Bid Security

The Bidder must include Bid Security of US\$ 2,000.00 in either of the following forms;

Option 1 ----- A Certified Bank Cheque in the ZIMRA name.

Option 2 -----A Bank Guarantee in the ZIMRA name

Option 3 ----- A Cash Deposit to the Authority PRAZ

The bid security shall be valid for a period of 90 days after the end of the bidding period.

Any bid not accompanied by a Bid Security. where this is a requirement of bidding, will be rejected by the Procuring Entity as non-responsive.

If a bidder chooses options 2 or 3, the following should be noted; Option 2

Submission of bank guarantee

A standard bank Guarantee of **US\$2**, **000.00** which is valid for 90 days, obtainable from a reputable Registered Commercial Bank redeemable in **Zimbabwe**.

Please note: The required Bank Guarantee should include the following features and be redeemable in Zimbabwe in order for it to be considered valid:

- 1. Letterhead of registered commercial bank (i.e. the Supplier of the Bank Guarantee
- 2. The Header has to clearly state that it is a Bank Guarantee.
- 3. Purpose of the Bank Guarantee to be clearly stated.
- 4. The date when the Common Seal of the said Surety was effected should be clearly shown.
- 5. Conditions of the said Obligations must be stated.
- 6. The physical address of the Surety should be given.
- 7. The validity period of the Bank Guarantee must be clearly stated.
- 8. Signature of surety and the date when it was endorsed must be clearly shown.
- 9. It must be an original document that is date stamped.
- 10. Bid Bonds from Insurance Companies are not acceptable.
- 11. All foreign Bank Guarantee to be confirmed by a local corresponding Commercial bank in Zimbabwe.

The Bank Guarantee of the unsuccessful bidders will be released immediately after the award of the Tender while that of the winning bidder will only be released after submission of the Performance Bond as specified in the tender document section 1.9

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 04/2024 RE-TENDER

PART 1 BIDDING PROCEDURES

2.	Bid Security of US\$2, 000.00	
3.	Proof of registration with the Procurement Regulatory Authority of Zimbabwe (PRAZ) (2025).	
4.	Proof of Payment for SPOC fees of US\$ 350.00	
5.	Bidders must submit a signed bid submission sheet	
6.	Valid Tax Clearance Certificate (ITF263) for	
7.	Valid NSSA Registration Certificate	
8.	Company Registration Documents. Certificate of Incorporation CR14 now CR6, CR6 now CR5. Or equivalent for International bidders	
9.	Bidders must clearly state their delivery period. Failure will lead to automatic disqualification.	
10.	Submission of at least 3 traceable reference letters, on clients letterhead for the supply and Delivery of NETWORK EQUIPMENT .	
11.	Bidder must state the payment terms which is preferably 30 days after delivery. Failure to state will lead to automatic disqualification.	
Re	sponsiveness	Responsive / Non- Responsive

Eligibility and Qualification Criteria

Bidders are required to meet the criteria in section 28 of the Act to be eligible to participate in public procurement and to be qualified for the proposed contract. They must therefore provide any available documentation and certify their eligibility in the Bid Submission Sheet. To be eligible, Bidders must

- 1. have the legal capacity to enter into a contract;
- 2. not be insolvent, in receivership, bankrupt or being wound up, not have had business activities suspended and not be the subject of legal proceedings for any of these circumstances;
- 3. have fulfilled their obligations to pay taxes and social security contributions in Zimbabwe;
- 4. not have a conflict of interest in relation to this procurement requirement;
- 5. not be debarred from participation in public procurement under section 72 (6) of the Act and section 74(1)(c), (d) or (e) of the Regulations or declared ineligible under section 99 of the Act;
- 6. have the nationality of an eligible country as specified in the Special Conditions of Contract; and
- 7. have been registered with the Authority as a Supplier and have paid the applicable Supplier Registration Fee set out in Part III of the Fifth Schedule to the Regulations.

Participation in this bidding procedure is open to both Zimbabwean bidders

Origin of Goods

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 04/2024 RE-TENDER

PART 1 BIDDING PROCEDURES

All goods and related services must have as their country of origin an eligible country, as specified in the Special Conditions of Contract.

Technical Criteria

The Technical Specifications Sheet details the minimum specification of the goods required. The goods offered must meet this specification, but no credit will be given for exceeding the specification. No alternatives to technical specifications given shall be accepted for evaluation.

Currency

Bids should be priced in United States Dollars (US\$) and the payment shall be in local currency (ZiG) at the prevailing rate on the date of payment.

Award of Contract

The lowest evaluated bid, after application of any additional evaluation criteria, including any margin of preference, which is substantially responsive to the requirements of this bidding document will be recommended for award of contract. The proposed award of contract will be by issue of a Notification of Contract Award in terms of section 55 of the Act which will be effective until signature of the contract documents in accordance with Part 3: Contract. Unsuccessful Bidders will receive the Notification of Contract Award and, if they consider they have suffered prejudice from the process, they may within 14 days of receiving this Notification, submit to the Procuring Entity a Challenge in terms of section 73 of the Act, subject to payment of the applicable fee set out in section 44 of and the Third Schedule to the Regulations.

Right to Reject

The Procuring Entity reserves the right to accept or reject any Bids or to cancel the procurement process and reject all Bids at any time prior to contract award.

Corrupt Practices

The Government of Zimbabwe requires that Procuring Entities, as well as Bidders and Contractors, observe the highest standard of ethics during the procurement and execution of contracts. In pursuit of this policy:

- 1. the Procuring Entity will reject a recommendation for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the Contract or been declared ineligible to be awarded a procurement contract under section 99 of the Act;
- 2. the Authority may under section 72 (6) of the Act impose the sanctions under section 74 (1) of the Regulations; and
- 3. Any conflict of interest on the part of the Bidder must be declared.

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 04/2024 RE-TENDER

PART 1

BIDDING PROCEDURES

Bid Submission Sheet

{Note to Bidders: Complete this form with all the requested details and submit it as the first page of your Bid. Attach the completed Statement of Requirements and any other documents requested in Part 1. Ensure that your Bid is authorised in the signature block below. A signature and authorisation on this form will confirm that the terms and conditions of this Bid prevail over any attachments. If your Bid is not authorised, it may be rejected. If the Bidder is a Joint Venture (JV), the Bid must be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.

	nark as "CONFIDENTIAL" inform s may include proprietary informa	ation in their Bids which is confidential to their tion, trade secrets or commercial or financially
Procurement I	Reference Number:	
Subject of Pro	ocurement:	
Name of Bidd	er:	
Bidder's Refe	rence Number:	
Date of Bid:		
	Price Schedule and in accordance wi	Statement of Requirements, at the prices indicated ith the terms and conditions stated in your Bidding
We confirm that	t we meet the eligibility criteria spec	ified in Part 1: Procedures of Bidding.
We declare that correct.	at we are not debarred from bidding	and that the documents we submit are true and
The validity po	eriod of our bid is: {Days} for	rom the date of submission.
	iod and will not be subject to revision	ice Schedule are fixed and firm for the duration of a, variation or adjustment.
Signature		Name:
Position:		Date:(DD/MM/YY)
Authorised	for and on behalf of:	
Company		
Address:		

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

CONTRACT

PART 2: STATEMENT OF REQUIREMENTS

Name of Bidder:

Bidder's Reference Number:

List of Goods and Price Schedule

Currency of Bid:

USS

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 15//2024 RE-TENDER

DESCRIPTION	QUANTITY	UNIT PRICE US\$	TOTAL PRICE USS
WIFI 6 Access Points(indoor)	80		
Outdoor Access Points	4		
Routers	5		
8FP-2G PoE switches	40		
24P4X-E PoE switches	10		
	TOTAL		

Note 1: Unit and total prices must be for delivery through to the final destination stated in Part 1.

Note 2: costs should include applicable taxes and duties

Note 3: Include any additional costs, such as installation or commissioning.

Note 4: In Pursuit of Value for money mantra, all prices should be reasonable and any price which seem to be extortionist will lead to automatic disqualification and debarment from participating in all upcoming tenders.

Note 5: Bidders should indicate foreign component if any

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

CONTRACT

Delivery Schedule

Name of Bidder:

Bidder's Reference Number:

{Note to Bidders: If the delivery period offered, or any other details, differ from the requirements below, this should be stated in your tender.

SUPPLY **AND** DELIVERY OF **NETWORK EQUIPMENT FOR NETWORK ENHANCEMENT**

Expected delivery period is 30 days

The delivery period required is measured from the date of the signing of the Contract between the Procuring Entity and the Bidder.

The Project Site for delivery of the goods is Zimbabwe Revenue Authority the final destination:

Central Stores

Enfield Complex

No. 61-63 Plymouth Road, Southerton

Harare; Zimbabwe

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

CONTRACT

Technical Specification and Compliance Sheet

Name of Bidder:

Bidder's Reference Number:

The Goods and Related Services must comply with following Technical Specifications and Standards:

[Columns a and b are completed by the Procuring Entity. Column c must be completed by the Bidder to indicate the full specification of the items offered and their compliance with the specification required (in Column b)]

	а	В	c
	Item description and full technical Specification required (including applicable standards)	Item description and full technical Specification required (including applicable standards)	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
	DESCRIPTION/	MINIMUM	
	FEATURES	REQUIREMENTS	
LOT 1	FEATURE	DESCRIPTION	
9115 AXI-E	Description	Catalyst 9115AX Series	
WIFI 6		Access Point, Internal	
Access		antenna; Wi-Fi 6; 4x4:4	
points(indoor)		MIMO, E Domain	
	Software	 Unified Wireless Network Software Release 8.9 or later 	
		IOS ® XE Software Release 16.11 or	
		later	
	Supported wireless	• Catalyst 9800	
	LAN	Series Wireless Controllers	
	controllers	• 3500, 5520, and	
		8540 Series Wireless	
		Controllers and Virtual	
	902.11	Wireless Controller	
	802.11n version 2.0	4x4 MIMO with four protiol strooms	
	(and related) capabilities	four spatial streams Maximal Ratio	
	related) capabilities	• Maximal Ratio Combining (MRC)	
		• 802.11n and	
		802.11a/g beamforming	
		• 20- and 40-MHz	
		channels • PHY data rates	
		up to 890 Mbps (40 MHz	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

а	В	e
Item description and full technical Specification required (including applicable standards)	Item description and full technical Specification required (including applicable standards)	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
DESCRIPTION/	MINIMUM	
FEATURES	REQUIREMENTS	
	with 5 GHz and 20 MHz	
	with 2.4 GHz)	
	 Packet aggregation: A-MPDU (transmit and 	
	receive), A-	
	MSDU (transmit and	
	receive)	
	• 802.11 Dynamic	
	Frequency Selection (DFS)	
	Cyclic Shift	
	Diversity (CSD) support	
802.11ac	• 4x4 downlink MU-MIMO	
	with four spatial streams	
	• MRC	
	• 802.11ac beamforming	
	• 20-, 40-, 80-, and 160-	
	MHz channels	
	• PHY data rates up to 3.47 Gbps (160 MHz with 5	
	GUPS (100 MIHZ WILLI 5	
	• Packet aggregation: A-	
	MPDU (transmit and	
	receive), A-	
	MSDU (transmit and	
	receive)	
	• 802.11 DFS	
	CSD support	
 802.11ax	4x4 downlink MU-	
002.11dA	MIMO with four spatial	
	streams	
	Uplink/downlink	
	OFDMA	
	• TWT	
	BSS coloring	
	• MRC	
	• 802.11ax	
	beamforming	
	• 20-, 40-, 80-, and	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3	CONTRACT
	OUNTERCT

	a	В	c
	Item description and full technical Specification required (including applicable standards)	Item description and full technical Specification	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
	DESCRIPTION/ FEATURES	MINIMUM REQUIREMENTS	
		160-MHz channels	
		PHY data rates up to 5.38 Gbps (160 MHz with 5 GHz and 20 MHz with 2.4 GHz)	
		Packet aggregation: A-MPDU (transmit and	
		receive), A- MSDU (transmit and	
		receive)	
		• 802.11 DFS	
<u> </u>		CSD support	
	Integrated antenna	• 2.4 GHz, peak	
		gain 3 dBi,	
		internal antenna,	
	1	omnidirectional	
		in azimuth	
		• 5 GHz, peak	
	ŀ	gain 4 dBi,	
		internal antenna,	
		omnidirectional	
	Lata C	in azimuth	
	Interfaces	• 1x 100, 1000, 2500	
		Multigigabit Ethernet	
		(RJ-45) –	
		IEEE 802.3bz	
		Management console port (D. 45)	
		(RJ-45)	
		• USB 2.0 (enabled via	
	Indicators	future software)	
	mateators	Status LED indicates	
		boot loader status,	
		association status,	
		operating status, boot	
		loader warnings, and boot loader errors	
		• 802.3at Power over	
	requirements		
	requirements	Ethernet Plus (PoE+), 802.3bt Cisco	
		Universal PoE (Cisco	
		Oniversal FOE (CISCO	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

а	В	С
Item description and full technical Specification required (including applicable standards)	Item description and full technical Specification required (including applicable standards)	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
DESCRIPTION/	MINIMUM	
FEATURES	REQUIREMENTS	
	UPOE+, Cisco UPOE ®)	
	• 802.3af PoE	
System memory	• 2048 MB DRAM	
	• 1024 MB flash	
Available transmit	2.4 GHz	
power	• 23 dBm (200 mW)	
settings	• 20 dBm (100 mW)	
	• 17 dBm (50 mW)	
	• 14 dBm (25 mW)	
	• 11 dBm (12.5 mW)	
	• 8 dBm (6.25 mW)	
	• 5 dBm (3.13 mW)	
	• 2 dBm (1.56 mW)	
	• -1dBm (0.79mW)	
	• -4dBm (0.39mW) 5	
	GHz	
	• 23 dBm (200 mW)	
	• 20 dBm (100 mW)	
	• 17 dBm (50 mW)	
	• 14 dBm (25 mW)	
	• 11 dBm (12.5 mW)	
	• 8 dBm (6.25 mW)	
	• 5 dBm (3.13 mW)	
	• 2 dBm (1.56 mW)	
	• -1dBm (0.79mW)	
	• -4dBm (0.39mW)	
Frequency band and	E (E regulatory domain):	
20-	• 2.412 to 2.472 GHz; 13	
MHz operating channels	channels	
channels	• 5.180 to 5.320 GHz; 8	
	channels	
	• 5.500 to 5.700 GHz; 8	
	channels	
	(excludes 5.600 to 5.640	
	GHz)	
	Warranty Period	
RESPONSIVENESS		

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

	a	В	c
	Item description and full technical Specification required (including applicable standards)	Item description and full technical Specification required (including applicable standards)	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
	DESCRIPTION/ FEATURES	MINIMUM REQUIREMENTS	
Lot 2	Description	Catalyst 9124AXI, 9124AXD	
9124 AX outdoor access points	Software	Unified Wireless Network Software Release 8.9 or later IOS ® XE Software Release 16.11 or later	
	Supported wireless LAN controllers	Catalyst 9800 Series Wireless Controllers	
	802.11n version 2.0 (and related) capabilities	• 4x4:4 in both 2.4GHz and 5 GHz uplink/downlink MUMIMO with four spatial streams C9124AXE • 4x4:4 in 2.4GHz + two 2x2:2 radios in 5 GHz uplink/downlink MU-MIMO • Maximal Ratio Combining (MRC) • 802.11n and 802.11a/g • 20- and 40-MHz channels • PHY data rates up to 890 Mbps (40 MHz with 5 GHz and 20 MHz with 5 GHz and 20 MHz with 2.4 GHz) • Packet aggregation: Aggregate MAC Protocol Data Unit (A-MPDU) (transmit and receive), Aggregate MAC Service Data Unit (A-	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

a	В	c
Item description and full technical Specification required (including applicable standards)	Item description and full technical Specification required (including applicable standards)	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
DESCRIPTION/ FEATURES	MINIMUM REQUIREMENTS	
	receive)	
	• 802.11 Dynamic	
	Frequency Selection	
	(DFS)	
	Cyclic Shift	
	Diversity (CSD) support	
802.11ac	• 4x4:4 in both	
	2.4GHz and 5 GHz	
	uplink/downlink	
	MUMIMO with four spatial streams	
	C9124AXE	
	• 4x4:4 in 2.4GHz	
	+ two 2x2:2 radios in 5	
	GHz uplink/downlink	
	MU-MIMO	
	• MRC	
	• 802.11ac	
	beamforming	
	• 20-, 40-, 80- and	
	80+80-MHz channels	
	PHY data rates	
	up to 3.47 Gbps (160	
	MHz with 5 GHz) • Packet	
	aggregation: A-MPDU (transmit and receive),	
	A-	
	MSDU (transmit and	
	receive)	
	• 802.11 DFS	
	CSD support	
	• WPA3 support	
802.11ax	• 4x4:4 in both	
	2.4GHz and 5 GHz	
	uplink/downlink	
	MUMIMO with four	
	spatial streams	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

	a	В	С
	Item description and full technical Specification required (including applicable standards)	Item description and full technical Specification required (including applicable standards)	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
	DESCRIPTION/	MINIMUM	
 ,	FEATURES	REQUIREMENTS	
		9124AXE	
		• 4x4:4 in 2.4GHz	
		+ two 2x2:2 radios in 5	
		GHz uplink/downlink	
		MU-MIMO	
		Uplink/downlink	
		OFDMA	
		• TWT	
		BSS coloring	
		• MRC	
		• 802.11ax	
		beamforming	
		• 20-, 40-, 80-, and	
		80+80-MHz channels	
		PHY data rates	
		up to 5.38 Gbps (160	
		MHz with 5 GHz and 20	
		MHz with 2.4 GHz)	
		• Packet	
		aggregation: A-MPDU	
		(transmit and receive),	
		A-	
		MSDU (transmit and	
		receive)	
		• 802.11 DFS	
		CSD support	
		WPA3 support	
		• WPA3-Enterprise	
		192 support	
	External antenna	• The Catalyst 9124AXE	
		Access Point is certified	
		for use with antenna	
		gains up to 13 dBi (2.4	
		GHz and 5GHz)	
	Interfaces	• 1x	
		100/1000/2500 BASE-T	
	į l	(Ethernet) uplink	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

	а	В	e
	Item description and full technical Specification required (including applicable standards)	technical Specification	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
	DESCRIPTION/	MINIMUM	
	FEATURES	REQUIREMENTS	
		interface ● 1x Gigabit	
		Ethernet SFP	
		Supports PoE	
		output (802.3af	
		compliant PSE) on the	
		1x	
		10/100/1000 BASE-T	
		(Ethernet) downlink	
		interface	
		Management	
	T. 1'	console port (RJ-45)	
	Indicators	Status LED indicates	
		boot loader status,	
		association status,	
		operating status, boot	
		loader warnings, and boot loader errors	
	Input power		
	requirements	• 802.3at Power over	
	requirements	Ethernet Plus (PoE+), 802.3bt Cisco	
		Universal PoE (Cisco	
		UPOE+, Cisco UPOE ®)	
		• 802.3af PoE	
		Warranty Period	
	DECRONGIVENEGO		
	RESPONSIVENESS		
LOT 3	Description	C8300 1RU w/ 1G WAN (1 SM slot and 1 NIM slot, and 6 x 1-Gigabit Ethernet ports)	
8300-1N1S-	Multicore processors	• Intel x86 CPU with 8 GB	
6T Routers (for medium branches)	,	memory default	:
	Supported wireless	Catalyst 9800 Series	
	LAN	Wireless Controllers	
	controllers	-	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

International Specification required (including applicable standards) Specification of its offered by Bidder to detail in column Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of its offered by Bidder (including applicable standards) Specification of the detail in column S		а	В	c
Embedded IPsec VPN hardware acceleration DRAM SD-WAN overlay tunnels scale Integrated Gigabit Ethernet ports Flash memory support Flash memory support M.2 storage M.2 storage M.2 storage With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP-2G PoE+ copper ports Uplink configuration PoE+ copper ports Uplink configuration Mounting Mounting Mounting Mounting Mounting Brackets PYes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period Warranty Period Warranty Period Warranty Period Warranty Period Warranty Period		full technical Specification required (including applicable standards)	technical Specification required (including	{Confirm ful specification of item offered by Bidder and compliance of item to detail in column b}
Embedded IPsec VPN hardware acceleration DRAM SD-WAN overlay tunnels scale Integrated Gigabit Ethernet ports Flash memory support M.2 storage C1300-8FP-2G POE Switches Mounting Mounting Mounting Embedded IPsec VPN hardware acceleration PoE + copper ports Mounting Mounting Brackets Me 6000 A GB C1300 Switches) LOT 4 Mounting Lot 5 Gbps of IPSec Internet Mix (IMIX) traffic A GB C blost Capber Bobys of IPSec Internet Mix (IMIX) traffic A GB C blost Capber Bobys of IPSec Internet Mix (IMIX) traffic A GB C blost Capber Bobys of IPSec Internet Mix (IMIX) traffic A S GB C blost Capber Bobys of IPSec Internet Mix (IMIX) traffic A S GB C blost Capber Bobys of IPSec Internet Mix (IMIX) traffic A S GB C blost Bobys C built-in 10/100/1000/100 Ethernet ports on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period		,		
hardware acceleration DRAM • 8 GB SD-WAN overlay tunnels scale Integrated Gigabit Ethernet ports Integrated Gigabit Ethernet ports Flash memory support • 8 - GB • 6 built-in 10/100/1000/100 Ethernet ports for WAN or LAN 2 SFP Ethernet ports, 4 RJ45 ports Flash memory support • 8 - GB flash M.2 storage • With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C10/100/1000 or PoE+ copper ports Uplink configuration • Rack-mountable Mounting Mounting Mounting Brackets Warranty Period Warranty Period Marranty Period Warranty Period				
DRAM SD-WAN overlay tunnels scale Integrated Gigabit Ethernet ports Integrated Gigabit Ethernet ports Flash memory support Flash memory support M.2 storage M.2 storage With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G Downlinks total 10/100/1000 or POE+ copper ports budget Uplink configuration Mounting Mounting Mounting Brackets PY es (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period Warranty Period				
SD-WAN overlay tunnels scale Integrated Gigabit Ethernet ports Integrated Gigabit Ethernet ports Integrated Gigabit Ethernet ports Integrated Gigabit Of 10/100/1000/10G Ethernet ports for WAN or LAN 2 SFP Ethernet ports, 4 RJ45 ports Flash memory support • 8-GB flash M.2 storage With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G Downlinks total 10/100/1000 or PoE+ ports with 120W power budget Uplink configuration PoE+ copper ports Uplink configuration Wounting Mounting Mounting Mounting Frackets Warranty Period Warranty Period				
tunnels scale Integrated Gigabit Ethernet ports Integrated Gigabit Ethernet ports Integrated Gigabit O'/100/1000/10G Ethernet ports for WAN or LAN 2 SFP Ethernet ports, 4 RJ45 ports Flash memory support M.2 storage M.2 storage With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP-10/100/1000 or PoE+ copper ports Uplink configuration Uplink configuration PoE+ copper ports Uplink configuration Warranty Period Pack-mountable Mounting Mounting Brackets Warranty Period PYes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period		DRAM	• 8 GB	
Ethernet ports 10/100/1000/10G Ethernet ports for WAN or LAN 2 SFP Ethernet ports, 4 RJ45 ports			• 6000	
ports for WAN or LAN 2 SFP Ethernet ports, 4 RJ45 ports Flash memory support M.2 storage With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP- 2G PoE 10/100/1000 or PoE+ copper ports Uplink configuration Mounting Mounting Mounting Mounting Packets Ports with 120W power budget 2x Gigabit copper/SFP combo ports Mounting Mounting Pack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period		Integrated Gigabit	• 6 built-in	
LAN 2 SFP Ethernet ports, 4 RJ45 ports Flash memory support • 8-GB flash M.2 storage • With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G 2G PoE 10/100/1000 or poE+ copper ports Uplink configuration Mounting Mounting Mounting Mounting Brackets Pash default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period		Ethernet ports	10/100/1000/10G Ethernet	
2 SFP Ethernet ports, 4 RJ45 ports Flash memory support M.2 storage With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP- 2G PoE 10/100/1000 or PoE+ copper ports Uplink configuration PoE+ copper ports Uplink configuration Mounting Mounting Mounting Brackets PYes (19" Rack Kit for Compact C1300, C1200 & C1300 Switches) Warranty Period				
RJ45 ports Flash memory support • 8-GB flash M.2 storage • With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period			LAN	
Flash memory support M.2 storage With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP-10/100/1000 or PoE+ copper ports Uplink configuration Uplink configuration Mounting Rack-mountable Mounting Brackets Mourranty Period **Responsiveness** **Prescription** **Responsiveness** **Warranty Period** **With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period			2 SFP Ethernet ports, 4	
M.2 storage M.2 storage With default 16G M.2 USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP-10/100/1000 or PoE+ copper ports Uplink configuration Wounting Mounting Mounting Poet (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period			 	
USB for SD-WAN logging and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP-10/100/1000 or PoE+ ports with 120W power budget Uplink configuration • 2x Gigabit copper/SFP combo ports Mounting • Rack-mountable Mounting Brackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period		Flash memory support	• 8-GB flash	
and additional storage on the platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP- 2G PoE 10/100/1000 or PoE+ copper ports Witches PoE+ copper ports Uplink configuration • 8x 10/100/1000 PoE+ budget Uplink configuration • 2x Gigabit copper/SFP combo ports Mounting • Rack-mountable Mounting Brackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period		M.2 storage		
platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP- 2G PoE 10/100/1000 or PoE+ copper ports budget Uplink configuration PoE+ combo ports Mounting • Rack-mountable Mounting Brackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period				
platform and can be upgraded to 32G M.2 USB and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP- 2G PoE 10/100/1000 or PoE+ copper ports budget Uplink configuration PoE+ combo ports Mounting • Rack-mountable Mounting Brackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period			additional storage on the	
and 600G M.2 NVMe Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP- 2G PoE 10/100/1000 or PoE+ copper ports Uplink configuration Mounting Mounting Mounting Mounting Period **Sx 10/100/1000 PoE+ ports with 120W power budget 2x Gigabit copper/SFP combo ports Mounting **Rack-mountable Mounting Brackets **Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period				
Storage Warranty Period RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP- 2G PoE 10/100/1000 or PoE+ copper ports Switches PoE+ copper ports Uplink configuration • 2x Gigabit copper/SFP combo ports Mounting • Rack-mountable Mounting Brackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period				
RESPONSIVENESS LOT 4 Model C1300-8FP-2G C1300-8FP- 2G PoE 10/100/1000 or ports with 120W power budget Uplink configuration • Rack-mountable Mounting Prackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period				
RESPONSIVENESS LOT 4 Model C1300-8FP-2G Downlinks total 10/100/1000 or PoE+ copper ports Uplink configuration Mounting Mounting Mounting Packets Period Period Poet copper ports Uplink configuration Period				
C1300-8FP-2G C1300-8FP-Downlinks total 10/100/1000 or 1000 poeth 10/100/1000 poeth 10/1			Warranty Period	
C1300-8FP- 2G PoE 10/100/1000 or PoE+ copper ports Uplink configuration Mounting Mou		RESPONSIVENESS		
10/100/1000 or PoE+ copper ports budget Uplink configuration Mounting Mounting Mounting Brackets Pack to 10/100/1000 ToEP ports with 120W power budget 2x Gigabit copper/SFP combo ports Rack-mountable Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period	LOT 4	Model	C1300-8FP-2G	
PoE 10/100/1000 or PoE+ copper ports budget Uplink configuration Mounting Mounting Brackets PoE+ copper ports • 2x Gigabit copper/SFP combo ports • Rack-mountable Mounting Brackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period	C1300-8FP-	Downlinks total	• 8x 10/100/1000 PoE+	
Warranty Period Description D	2G PoE	10/100/1000 or		
combo ports Mounting • Rack-mountable Mounting Brackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period	switches	PoE+ copper ports		
Combo ports Mounting Rack-mountable Mounting Brackets Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period		Uplink configuration	• 2x Gigabit copper/SFP	
Mounting Brackets • Yes (19" Rack Kit for Compact C1000, C1200 & C1300 Switches) Warranty Period				
Compact C1000, C1200 & C1300 Switches) Warranty Period		Mounting	Rack-mountable	
Compact C1000, C1200 & C1300 Switches) Warranty Period		Mounting Brackets	• Yes (19" Rack Kit for	
C1300 Switches) Warranty Period				
Warranty Period				ļ
	<u></u>			
RESPONSIVENESS		RESPONSIVENESS		

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

CONTRACT

	а	В	c
	Item description and full technical Specification required (including applicable standards)	Item description and full technical Specification required (including applicable standards)	{Confirm full specification of items offered by Bidder and compliance of items to detail in column b}
	DESCRIPTION/ FEATURES	MINIMUM REQUIREMENTS	
LOT 5	Model	C9200L-24P-4X-E	
C9200L- 24P4X-E PoE switches	Downlinks total 10/100/1000 or PoE+ copper ports	24 ports full PoE+	
	Uplink configuration	4x 10G fixed uplinks	
	Default primary AC power supply	PWR-C5-600WAC	
	Fans	Fixed redundant	
	Software	Network Advantage	
	Stacking bandwidth	80 Gbps	
	DRAM	2 GB	
	Flash	4 GB	
	Switching capacity	128 Gbps	
	Forwarding rate	190.4 Mpps	
-		Warranty Period	
	RESPONSIVENESS		

The detailed technical evaluation will examine the technical specification of the items offered in column c and determine whether this meets the minimum specification in column b. Bidders must complete column c or their tender will be rejected. Bidders are required to include technical literature to positively support the details provided in column c.

Declaration by the Accounting Officer

I declare that the procurement is based on ne qualifications.	utral and fair technical requirements and bidder
Bruss	1/4/2025

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

CONTRACT

PART 3 CONTRACT

Contract Agreement

Procurement Reference: tender ZIMRA NCB 11/2025

THIS CONTRACT AGREEMENT is made the [insert: date] day of [insert: month], [insert: year].

BETWEEN

- (1) [insert complete name of Procuring Entity], a [insert description of type of legal entity, for example, an agency of the Ministry of of the Government of Zimbabwe, or corporation incorporated under the laws of Zimbabwe] and having its principal place of business at [insert full postal address of Procuring Entity] (hereinafter called "the Procuring Entity"), and
- [insert name of Contractor], a corporation incorporated under the laws of [insert: country of Contractor] and having its principal place of business at [insert full postal address of Contractor] (hereinafter called "the Contractor").

WHEREAS the Procuring Entity invited Bids for certain Goods and ancillary services, viz., [insert brief description of Goods and Services] and has accepted a Bid by the Contractor for the supply of those Goods and Services in the sum of [insert Contract Price in words and figures, expressed in the Contract currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are assigned to them in the General and Special Conditions of Contract referred to below.
- 2. The following documents shall constitute the Contract between the Procuring Entity and the Contractor, and each shall be read and construed as an integral part of the Contract:
 - (a) This Contract Agreement;
 - (b) Special Conditions of Contract;
 - (c) General Conditions of Contract;
 - (d) Technical Requirements (including Schedule of Requirements and Technical Specifications);
 - (e) The Contractor's Bid, original Price Schedules and Delivery Schedule;
 - (f) The Procuring Entity's Notification of Contract Award;
 - (g) [Add here any other document(s)].
- 3. This Contract Agreement shall prevail over all other Contract Documents. In the event of any discrepancy or inconsistency within the Contract Documents, then the documents shall prevail in the order listed above.

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

CONTRACT

- 4. In consideration of the payments to be made by the Procuring Entity to the Contractor as mentioned below, the Contractor hereby agrees with the Procuring Entity to provide the Goods and Services and to remedy any defects in them in conformity with the Contract.
- 5. The Procuring Entity hereby agrees to pay the Contractor in consideration of the provision of the Goods and Services and the remedying of any defects in them, the Contract Price or such other sum as may become payable under the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of Zimbabwe on the day, month and year indicated above.

For and on behalf of the Procuring Entity

Signed:		
Name:		
In the capacity of:	[Title or other appropriate designation]	
For and on behalf o	f the Contractor	
Signed:		
Signed: Name:		

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

CONTRACT

General Conditions of Contract

Any resulting contract is subject to the Zimbabwe General Conditions of Contract (GCC) for the Procurement of Goods (copy available on request) except where modified by the Special Conditions below.

Special Conditions of Contract

Procurement Reference Number... Tender NCB 11/2025

The clause numbers given in the first column correspond with the relevant clause number of the General Conditions of Contract.

GCC reference	Special Conditions	
GCC 7.5	Eligible Countries: All Countries	
GCC 8.1	Notices: Any notice shall be sent to the following addresses:	
	For the Procuring Entity, the address shall be as given in the Contract document and the contact shall be, 10 th Floor ZB Centre, Corner Kwame Nkrumah Avenue	
	and First Street, Harare Zimbabwe.	
	For the Contractor, the address shall be as given in the Bid and the contact shall be	
	{state name of contact}	
GCC 19.1	Liquidated Damages: (Not applicable)	
	Liquidated Damages in terms of section 88 of the Act shall apply. In the case of delays in the delivery of goods, the Contractor will be liable to pay damages of 0.5% of contract price per week of delay up to a maximum of 10% of contract value. If 10% is exceeded, the contract may be cancelled	
	NB. The contractor will not be charged liquidated damages when the delay in delivery or performance is beyond the contractor's control and is not caused by fault or negligence on the part of the contractor.	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

GCC reference	Special Conditions	
GCC 21.2	Packing, Marking and Documentation: The goods shall meet the following special packing requirements in addition to the general requirements stated in GCC clause 21.1	
	The documents to be furnished by the Contractor are:	
	1. A negotiable bill of lading when the goods are coming by sea	
	2. An airway bill, when the goods are coming by Air	
	3. A road consignment note, when the goods are coming by road	
	Sample provision - For Goods supplied from abroad:	
	Upon shipment, the Contractor shall notify the Procuring Entity and the insurance company in writing of the full details of the shipment. In the event of Goods sent by airfreight, the Contractor shall notify the Procuring Entity a minimum of forty-eight (48) hours ahead of dispatch, the name of the carrier, the flight number, the expected time of arrival, and the waybill number. The Contractor shall email and then send by courier the following documents to the Procuring Entity, with a copy to the insurance company:	
	(i) One original and two copies of the Contractor's invoice, showing the Procuring Entity as the consignee; the Contract number, Goods description, quantity, unit price, and total amount. Invoices must be signed in original;	
	(ii) One copy of delivery note, document showing Procuring Entity as the consignee and delivery through to final destination as stated in the Contract	
	(iii) One original of the manufacturer's or Contractor's Warranty Certificate covering all items supplied;	
	Page 26 of 28	

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

GCC reference	Special Conditions
	Sample provision - For Goods from within Zimbabwe
	Upon or before delivery of the Goods, the Contractor shall notify the Procuring Entity in writing and deliver the following documents to the Procuring Entity:
	(i) One original and two copies of the Contractor's invoice, showing the Procuring Entity, the Contract number, Goods' description, quantity, unit price, and total amount. Invoices must be signed in original;
	(ii) One copy of delivery note, document showing Procuring Entity as the consignee and delivery through to final destination as stated in the Contract;
	(v) one original of the manufacturer's or Contractor's Warranty certificate covering all items supplied;
	The above documents shall be received by the Procuring Entity before arrival of the Goods and, if not received, the Contractor will be responsible for any consequent expenses.

PROCUREMENT REFERENCE NO.: TENDER ZIMRA NCB 11/2025

PART 3

GCC reference	Special Conditions	
GCC 22.1	Insurance: The Goods shall be insured in accordance with the specified Incoterms.	
GCC 23.1 & 23.2	Inspections and tests: the tests and/or inspections of the Goods and Related Services that the Contractor is required to carry at its own expense are: 100% inspection on technical compliance.	
GCC 24.1	Performance security: After the award of the tender, and before the contract is signed; the winning bidder must furnish ZIMRA with performance guarantee within 14 days after notification of the award. This guarantee will be in the form of a Performance Bond or guarantee equivalent to the value of 10% of the total cost of the supplier's proposal, valid for the duration of the contract and endorsed by a registered reputable Commercial Bank acceptable by ZIMRA.	
GCC 24.4	Reduction of performance security (Not applicable)	
GCC 25.1	Warranty: State warranty period.	
GCC 25.6	Failure to remedy a defect: The period allowed to the Contractor to remedy a defect during the period of the Warranty shall be (30) days	
GCC 29.1	Price adjustments: The following price adjustments are applicable.	
	When the application of price adjustment would modify the initial price by more than twenty per centum or would modify the balance owing under the contract by more than twenty per centum, the procuring entity may terminate the contract	
GCC 30.1	Terms of Payment: The structure of payments shall be: Acceptance: The Contract Price shall be paid to the Contractor within thirty (30) days after the date of the acceptance certificate for the respective delivery issued by the Procuring Entity.	
GCC 31.1	Contract Administration Fee: The Contract Administration Fee set out in Part V of the Fifth Schedule of the Regulations is due upon the signing of the Contract and the applicable Fee.	