

"AZERALUMINIUM" LIMITED LIABILITY COMPANY

CALL FOR BID TO THE PARTICIPATION OF SUPPLIERS IN THE OPEN

TENDER FOR 220 000 ton calcined metallurgical grade sandy

alumina (Al₂O₃-aluminum oxide) procurement

No. AT-020-25

Purchasing organization name: "Azəralüminium" LLC

Purchasing organization's Tax Identification Number (TIN): 1305481501

Purchasing organization's address: 14 Izmir Street, Yasamal district, Baku city I.

Name of the competition: calcined metallurgical grade sandy alumina (Al₂O₃-aluminum oxide) procurement

Publication date of the competition: 19.03.2025

Deadline, time, and place for submission of proposals:till 30.04.2025, 3:00p.m. Baku local time toII.14 Izmir Street, Yasamal district, Baku city, ASK Villa administrative building

Date, time, place, and form of the envelope opening: Applicants must submit the relevant documents in sealed and signed envelopes to 14 Izmir Street, Yasamal district, Baku city, "ASK VILLA" till April 30, 2025, 6:00 p.m. Baku local time Envelopes submitted after the indicated times will be returned unopened. The opening of the envelopes will be held on May 1, 2025, at 3:00 p.m. Baku local time at the above-mentioned address in video conference format.

Participation fee: 5882.35 USD

Suppliers must pay the participation fee to the bank account of the purchasing organization listed below to obtain the set of main conditions and submit tender proposals:

- TIN: 1305481501
- IV. 🛛 Bank: Azerbaijan International Bank "Ganja" branch
 - □ İBAN: AZ26IBAZ40140018406110810255
 - Code: 509352
 - C/A: AZ03NABZ013501000000002944
 - TIN Bank: 9900001881
 - SWIFTBİK:IBAZAZ2X

VII.MeasurementVII.1Calcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃)(Al ₂ O ₃) content : \geq 98.6 % Physical parameters: +150 micron (2-5) max (%) - 45 micron 10 max (%) - 20 micron 0.5 max (%) ignition loss:(300-1000°C): 0.5 max Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: \leq 0.5% Attrixion index:<10 Natural slope: 29÷34° Specific surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;ton220 000	_	Note:	You can obtain the set of m	ain conditions upon providing the payme	ent receipt from the	bank and	
S/n Name Detailed Description Unit of Measurement ITEM VI. 1 Catcined metallurgical grade sandy alumina grade sandy alumina grade sandy alumina grade sandy alumina grade sandy alumina super Signa Context: Signa		formal	letter (Form 1) confirming p	participation in the tender to the email add	dress of the respor	nsible pers	
Funding for the procurement item is discontinued; v. The society cancels the procurement item or the procurement results upon its request; Insufficient quorum for the procurement item. Contact person as the responsible person of the purchasing organization: Full name: Sofiya Ashirova Position: Senior procurement Specialist Tel. (Mobile): +994 50 273 13 45 Tel. (Landline): +994 22 267 05 74 (ext. 1106) Email address: sofiya.ashirova@azeraluminium.com NAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEM S/n Name Detailed Description Unit of Measurement Quantiting VII. I Calcined metallurgical grade sandy alumina (Al2O ₃) (Al2O ₃) content : ≥98.6 % Physical parameters: +150 micron 10 max (%) -20 micron 0.5 max (%) lgnition loss:(300-1000°C): 0.5 max 0.5 max Bulk density: > 0.920gr/sm3 ton 220 000 1 Calcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃) Alfa: <3%; Moisture: ≤0.5% Attrixion index:<10 Natural slope: 29:534° specific surface area (BET) (Reg.): 60-80m ⁷ /g, Chemical content: SiO ₂ -0.015 max; Na2O-0.305, Ca-0.060 max; 220 000		of the	purchasing organization afte	er the announcement.			
V. The society cancels the procurement item or the procurement results upon its request; Insufficient quorum for the procurement item. Contact person as the responsible person of the purchasing organization: Full name: Sofiya Ashirova Position: Senior procurement Specialist Tel. (Mobile): +994 50 273 13 45 Tel. (Landline): +994 22 267 05 74 (ext. 1106) Email address: sofiya.ashirova@azeraluminium.com NAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEM S/n Name Detailed Description Unit of Measurement Quantit VII. I Calcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃) Imax (%) - 20 micron 10 max (%) - 20 micron 10 max (%) - 20 micron 10 max (%) - 20 micron 220 001 Natural slope: 29:-34° Specific surface area (BET) (Reg.): 60- 80m ⁷ /g, Chemical content: SiO2-0.015 max, Na2-0.3+0.5; Ca-0.050 max; 10 max; 220 001					es:		
• Insufficient quorum for the procurement item. • Insufficient quorum for the procurement item. • Contact person as the responsible person of the purchasing organization: Full name: Sofiya Ashirova Position: Senior procurement Specialist Tel. (Mobile): +994 50 273 13 45 Tel. (Landline): +994 22 267 05 74 (ext. 1106) Email address: sofiya.ashirova@azeraluminium.com NAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEM S/n Name Detailed Description Unit of Measurement Quantities YII. Calcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃) (Al ₂ O ₃) content : ≥98.6 % Physical parameters: +150 micron 10 max (%) - 20 micron 0 (2-5) max (%) - 20 micron 10 max (%) - 20 micron 10 max (%) - 20 micron 0 (2-5) max (%) - 20 micron 0 (
VI. Contact person as the responsible person of the purchasing organization: Full name: Sofiya Ashirova Position: Senior procurement Specialist Tel. (Mobile): +994 50 273 13 45 Tel. (Landline): +994 22 267 05 74 (ext. 1106) Email address: sofiya.ashirova@azeraluminium.com MAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEM NAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEM Unit of Measurement Quantity VII. S/n Name Detailed Description Unit of Measurement Quantity VII. Calcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃) (Al ₂ O ₃) content: ≥98.6 % % Physical parameters: +150 micron (2-5) max (%) 20 micron 0.5 max (%) 0.5 max Bulk density: > 0.920gr/sm3 Afra: <3%; Moisture: ≤0.5%	V.	 The society cancels the procurement item or the procurement results upon its request; 					
Full name: Sofiya Ashirova Position: Senior procurement Specialist Tel. (Mobile): +994 50 273 13 45 Tel. (Landline): +994 22 267 05 74 (ext. 1106) Email address: sofiya.ashirova@azeraluminium.com NAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEM S/n Name Detailed Description Unit of Measurement Quantiti VII. I Calcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃) (Al ₂ O ₃) content : ≥98.6 % Physical parameters: +150 micron 10 max (%) -20 micron 0.5 max (%) Ignition loss:(300-100°C): 0.5 max ton 220 001 1 Calcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃) Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: ≤0.5% Attrixion index:<10 Natural slope: 29:34° Specific surface area (BET) (Reg.): 60+80m²/g, Chemical content: SlO ₂ -0.015 max; Fe2O3-0.015 max Na ₂ O-0.3+0.5; Ca-0.060 max; ton 220 001	•	 Insu 	ifficient quorum for the proc	urement item.			
VI.Position: Senior procurement Specialist Tel. (Mobile): +994 50 273 13 45 Tel. (Landline): +994 22 267 05 74 (ext. 1106) Email address: sofiya.ashirova@azeraluminium.comNAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEMS/nNameDetailed DescriptionUnit of MeasurementQuantityVII.S/nName (Al_2O_3) content: ≥98.6 % Physical parameters: +150 micron 10 max (%) -20 micron 0.5 max (%) Ignition loss: (300-1000°C): 0.5 max Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: ≤0.5% Attrixion index:<10 Natural slope: 29:34° Specific surface area (BET) (Reg.): 60+ 80m²/g, Chemical content: SIO ₂ -0.015 max Na2O-0.3;0.5; Ca-0.060 max;ton		Conta	ct person as the responsi	ble person of the purchasing organiza	ation:		
VI.Tel. (Mobile): +994 50 273 13 45 Tel. (Landline): +994 22 267 05 74 (ext. 1106) Email address: sofiya.ashirova@azeraluminium.comNAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEMS/nNameDetailed DescriptionUnit of MeasurementQuantitIS/nNameImage: Content : >98.6 % Physical parameters: +150 micron (2-5) max (%) - 45 micron 10 max (%) - 20 micron 0.5 max (%) Ignition loss: (300-1000°C): 0.5 max Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: \$0.5% Alfa: <3%; Moisture: \$0.5% Alfa: <3%; Moisture: \$0.5% Alfa: <3%; Moisture: \$0.5% Alfa: <3%; Ca-0.015 max Natural slope: 29=34° Specific surface area (BET) (Reg.): 60 + 80m²/g, Chemical content: SiO2-0.015 max Na2O-0.3; 0.5; Ca-0.0060 max;ton220 001		Full name: Sofiya Ashirova					
Tel. (Mobile): +994 50 273 13 45Tel. (Landline): +994 22 267 05 74 (ext. 1106)Email address: sofiya.ashirova@azeraluminium.comNAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEMS/nNameDetailed DescriptionUnit of MeasurementQuantitVII.S/nNameDetailed DescriptionUnit of MeasurementQuantitICalcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃)(Al ₂ O ₃) content : ≥98.6 % Physical parameters: +150 micron (2-5) max (%) - 20 micron 0.5 max (%) - 20 micron 0.5 max (%) Ignition loss:(300-1000°C): 0.5 max Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: ≤0.5% Attrixion index:<10 Natural slope: 29÷34° Specific surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3±0.5; Ca-0.060 max;ton220 001		Position: Senior procurement Specialist					
Email address: sofiya.ashirova@azeraluminium.comNAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEMS/nNameDetailed DescriptionUnit of MeasurementQuantitS/nName (Al_2O_3) content : >98.6 % Physical parameters: +150 micron (2-5) max (%) - 45 micron 10 max (%) - 20 micron 0.5 max (%) Ignition loss: (300-100°C): 0.5 max Bulk density: > 0.920gr/sm3 Affa: <3%; Moisture: <0.5% Attrixion index:<10 Natural slope: 29:34° Specific surface area (BET) (Reg.): 60: 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe2O3-0.015 max Na ₂ O-0.3;0.5; Ca-0.060 max;ton	VI.	Tel. (Mobile): +994 50 273 13 45					
VII.NAME, QUANTITY, VOLUME AND SHORT DESCRIPTION OF THE PROCUREMENT ITEMS/nNameDetailed DescriptionUnit of MeasurementQuantitVII.1Calcined metallurgical grade sandy alumina (aluminum oxide Al_2O_3)(Al_2O_3) content : ≥ 98.6 % Physical parameters: +150 micron (2-5) max (%) - 45 micron 10 max (%) - 20 micron 0.5 max (%) ignition loss: (300-1000°C): 0.5 max Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: $\leq 0.5\%$ Attrixion index:<10 Natural slope: $29\div34^\circ$ Specific surface area (BET) (Reg.): $60\div80m^2/g$, Chemical content: $SiO_2-0.015$ max; Fe2O3-0.015 max Na_2O-0.3 \div 0.5; Ca-0.060 max;ton220 000		Tel. (Landline): +994 22 267 05 74 (ext. 1106)					
VII.S/nNameDetailed DescriptionUnit of MeasurementQuantityVII.ICalcined metallurgical grade sandy alumina (aluminum oxide Al ₂ O ₃)(Al ₂ O ₃) content : \geq 98.6 % Physical parameters: +150 micron (2-5) max (%) - 25 max (%) ignition loss: (300-1000°C): 0.5 max Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: \leq 0.5% Attrixion index:<10 Natural slope: 29÷34° Specific surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;Unit of Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;Unit of Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;Unit of Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;Unit of Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;Unit of Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;Unit of Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;Unit of Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 Mation for the surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 Mation for		Email address: sofiya.ashirova@azeraluminium.com					
VII.Image: Calcined metallurgical grade sandy alumina (aluminum oxide Al_2O_3)(Al_2O_3) content : ≥ 98.6 % Physical parameters: +150 micron (2-5) max (%) - 45 micron 10 max (%) - 20 micron 0.5 max (%) Ignition loss:(300-1000°C): 0.5 max Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: $\leq 0.5\%$ Attrixion index:<10 Natural slope: $29 \div 34^{\circ}$ Specific surface area (BET) (Reg.): 60 ÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;ton220 000						TITEM	
VII.Image: Physical parameters: +150 micron -45 micron 0.5 max (%) ignition loss:(300-1000°C): 0.5 max Bulk density: > 0.920gr/sm3 Alfa: <3%; Moisture: ≤0.5% Attrixion index:<10 Natural slope: 29÷34° Specific surface area (BET) (Reg.): 60÷ 80m²/g, Chemical content: SiO ₂ -0.015 max; Fe ₂ O ₃ -0.015 max Na ₂ O-0.3÷0.5; Ca-0.060 max;ton220 000 2000		1	NAME, QUANTITY, VOLUN	IE AND SHORT DESCRIPTION OF THE	Unit of	T ITEM	
TiO ₂ -0.0025 max;		1	NAME, QUANTITY, VOLUN	IE AND SHORT DESCRIPTION OF THE Detailed Description	Unit of		

	ZnO-0.01 max; P ₂ O ₅ -0.01 max; V ₂ O ₅ -0.0025 max; Ga ₂ O ₃ -0.010 max
	Delivery time for goods and performance of services/works:
VIII.	 1st lot: 15 000 ton-July 2025 (by 3 equal lots, 5000 ton/lot) 2nd lot: 15 000 ton-August 2025 (by 3 equal lots, 5000 ton/lot) 3rd lot: 15 000 ton-September 2025 (by 3 equal lots, 5000 ton/lot) 4th lot: 20 000 ton-October 2025 (by 4 equal lots, 5000 ton/lot) 5th lot: 15 000 ton-November 2025 (by 3 equal lots, 5000 ton/lot) Balance quantity: within December 2025-January 2027, 10 000 ton/month (by 2 equal lots, 5000 ton/lot)
IX.	Location and conditions of delivery for goods and services/works: Location and conditions of delivery for goods and services/works: 53 Yevlax highway, Ganja city.
Х.	Quality (standards) and warranty requirements: The supplier guarantees the compliance of the proposed goods with the relevant standards. Acceptance and test methods: ISO -802-1976, QOST 30558-2017
XI.	Payment terms: Payments under the contract are made by bank transfer no later than 15 (fifteen) banking days based on documents submitted by the contractor (receipts, invoices, certificates and other documents) after delivery of goods/services.
	Conditions and criteria for acceptance of goods (services and works):
	1. 1. Resident shippers:
	1.1. on DDP Ganja;
XII.	2. Non-resident shippers:
	2.1. CIF Poti (Incoterms 2020/Georgia sea port)
	2.2. DAP Gəncə (İncoterms 2020)
	3

FORM 1 (On the bidder company's letterhead) APPLICATION LETTER FOR OBTAINING THE SET OF MAIN CONDITIONS AND SUBMITTING DOCUMENTS FOR PARTICIPATION IN THE OPEN TENDERING Date: _____ 2025 City: _____, No:_____ To the Chairman of the Procurement Commission of "Azəralüminium" LLC Mr. Oqtav Rafiev With this letter, we confirm our intention to participate in the open tendering competition No. AT-020-25 announced for the procurement of " calcined metallurgical grade sandy alumina (Al₂O₃-aluminum oxide)" by [full name of the bidder company] (on behalf of ___). We also confirm that no liquidation or bankruptcy procedures are being carried out in relation to [full name of the bidder company], that its activities have not been suspended, and that there are no circumstances preventing participation in the mentioned procurement competition. Please send the electronic version of the set of main conditions to the following email address: _____. To respond promptly to questions regarding the documents we have submitted and other issues, please contact: Contact person: _____ Contact person's position: _____ Phone number: _____ Contact Fax number: _____ Email address: _____ Enclosures: Original of the bank document confirming payment of the participation fee – pages. (A.A.S. of the authorized person) (Signature of the authorized person) (Position of the authorized person) Company Seal

4